SEAL PACK

SEAL PACK
TECHNOLOGY CO., LTD.

- No. 932-3, Sec. 1, Fanhua Road, Waijhong Village, Fusing Township, Changhua County 50643, Taiwan
- Tel: +886-4-779-5875~6 Fax: +886-4-779-5879
- E-mail: sealpack@ms36.hinet.net
- Web: www.sealpack.com
- www.youtube.com/user/sealpack84

Sealpack.com

YouTube Channel

CE

SEAL PACK
TECHNOLOGY CO., LTD.

Filling and Sealing Packaging Machine

- CUPS
- TRAYS
- TUBS
- JARS
- STAND UP POUCHES

High Technology & High Quality!

LINEAR TYPE

CONVEYOR TYPE

STAND UP POUCH

ROTARY TYPE

BENCH TYPE

IN-LINE TYPE

Fully Automatic Filling & Sealing Machine

- 1. Auto Cup Dropping
- 2. Cup Rinsing
- 3. Cup Filling
- 4. 1st Sealing & 2nd Sealing
- 5. Cutter
- 6. Product Out-feeding

SPECIFICATION

- Model: **SP-1208B**
- Mold: **8 Cavities**
- Application: **Water, Juice, Yogurt, Pudding, etc.**
- Production Capacity: **7,200~9,600 (PCS/HR)**
- Machine Dimension: **4,500 x 1,300 x 1,800 mm**

SP-12 Series

OTHER MODELS

APPLICATION	MODEL	MOLD (CAVITIES)	CAPACITY (CPH)	DIMENSION
Liquid Filling	SP-1202	2	1,800~2,400	3,000 x 700 x 1,800 mm
	SP-1204	4	3,600~4,800	3,000 x 900 x 1,800 mm
	SP-1206	6	5,400~7,200	3,000 x 1,100 x 1,800 mm
	SP-1208	8	7,200~9,600	3,000 x 1,300 x 1,800 mm
	SP-1210	10	9,000~12,000	3,000 x 1,500 x 1,800 mm
	SP-1212	12	10,800~14,400	3,000 x 1,100 x 1,800 mm
	SP-1216	16	14,400~19,200	3,000 x 1,300 x 1,800 mm
	SP-1220	20	18,000~24,000	3,000 x 1,500 x 1,800 mm

IN-LINE TYPE

Fully Automatic Filling & Sealing Machine

- 1. Auto Cup Dropping
- 2. Cup Filling
- 3. Pre-cut Foil Denesting
- 4. 1st & 2nd Sealing
- 5. Product Out-feeding

SP-12 Series With Dust Proof Cover

SPECIFICATION

- Model: **SP-1206B**
- Mold: **6 Cavities**
- Application:
  Water, Yogurt, Pudding, etc.
- Production Capacity:
  5,400~7,200 (PCS/HR)
- Machine Dimension:
  3,000 x 1,100 x 1,800 mm

OTHER MODELS

APPLICATION	MODEL	MOLD (CAVITIES)	CAPACITY (CPH)	DIMENSION
Powder/ Granule Filling	SP-3502	2	1,800~2,400	3,000 x 700 x 1,800 mm
	SP-3504	4	3,600~4,800	3,000 x 900 x 1,800 mm
	SP-3506	6	5,400~7,200	3,000 x 1,100 x 1,800 mm
	SP-3508	8	7,200~9,600	3,000 x 1,300 x 1,800 mm
Sealing Only	SP-6302	2	1,800~2,400	3,000 x 700 x 1,800 mm
	SP-6304	4	3,600~4,800	3,000 x 900 x 2,000 mm

CONVEYOR TYPE

SP-82 Series Automatic Filling Machine

SPECIFICATION

- Model: **SP-8202B**
- Mold: **2 Nozzles**
- Application: **Liquid, Food, Chemical, Cosmetic, etc.**
- Production Capacity: **720 (PCS/HR)**
- Machine Dimension: **3,000 x 700 x 1,700 mm**

SP-83 Series Automatic Sealing Machine

- Model: **SP-8305B**
- Mold: **5 Heads**
- Application: **Plastic Container, Bottle, Jar, Tub, etc.**
- Production Capacity: **1,800 (PCS/HR)**
- Machine Dimension: **2,200 x 1,100 x 1,600 mm**



- 1. Manually Loading
- 2. Filling
- 1. In-Feeding Conveyor



- 1. Manually Loading
- 2. Sealing
- 1. In-Feeding Conveyor

OTHER MODELS

MODEL	MOLD (HEADS)	CAPACITY (CPH)	DIMENSION
SP-8302	2	720	3,000 x 1,100 x 1,600 mm
SP-8304	4	1,440	3,000 x 1,100 x 1,600 mm
SP-8305	5	1,800	3,000 x 1,100 x 1,600 mm
SP-8306	6	2,160	3,000 x 1,100 x 1,600 mm

STAND UP POUCH TYPE

Stand Up Pouch Automatic Filling & Sealing Machine

SP-9201B

SPECIFICATION

- Model: **SP-9201B**
- Application: **Liquid, Powder, etc.**
- Production Capacity: **1,200 (PCS/HR)**
- Machine Dimension: **4,000 x 700 x 1,800 mm**
- Power Supply: **Custom-Made**
- Packaging Type: **Stand up Pouch**

SP-9201B With Dust Proof Cover

◆ 1
Automatic
Falling Station

◆ 2
Automatic
Opening Station

◆ 3
Automatic
Filling Station

◆ 4
Automatic
Hot Sealing Station

◆ 5
Automatic Air Cooling
Sealing Station



◆ 6
Automatic Embossing
Date Coding Station

◆ 7
Automatic
Out-Feeding Station

ROTARY TYPE

Automatic Filling & Sealing Machine

SP-22 Series

- 1. Auto Cup Dropping
- 2. Cup Filling
- 3. Sealing
- 4. Cutter
- 5. Product Out-feeding

SPECIFICATION

- Model: SP-2201A
- Mold: 1 Cavity
- Application: Water, Yogurt, Pudding, Powder etc.
- Production Capacity: 900~1,200 (PCS/HR)
- Machine Dimension: 1,300 x 1,300 x 1,800 mm

- Model: SP-2202B
- Mold: 2 Cavities
- Application: Water, Juice, Yogurt, Pudding, Powder etc.
- Production Capacity: 1,800~2,400 (PCS/HR)
- Machine Dimension: 1,500 x 1,500 x 1,800 mm



SP-22 Series With Dust Proof Cover

- 1. Auto Cup Dropping
- 2. Cup Filling
- 3. Pre-Cut Foil Denesting
- 4. Sealing
- 5. Product Out-feeding

OTHER MODELS

APPLICATION	MODEL	MOLD (CAVITIES)	CAPACITY (CPH)	DIMENSION
Liquid Filling	SP-2201	1	900~1,200	1,300 x 1,300 x 1,800 mm
	SP-2202	2	1,800~2,400	1,500 x 1,500 x 1,800 mm
Powder Filling	SP-2401	1	900~1,200	1,300 x 1,300 x 1,800 mm
	SP-2402	2	1,800~2,400	1,500 x 1,500 x 1,800 mm
Sealing Only	SP-2301	1	900~1,200	1,300 x 1,300 x 1,800 mm
	SP-2302	2	1,800~2,400	1,500 x 1,500 x 1,800 mm

BENCH TYPE

Semi-Automatic Sealing Machine

SPECIFICATION

- Model: SP-7101A
- Mold: 1 Cavity
- Application: Tofu, Meat, Frozen Food, Lunch Box, etc.
- Production Capacity: 360 (PCS/HR)
- Machine Dimension: 600 x 550 x 900 mm

SP-71 Series With Date Printing

- Model: SP-7102A
- Mold: 2 Cavities
- Application: Meat, Lunch Box, Cosmetic, etc.
- Production Capacity: 700 (PCS/HR)
- Machine Dimension: 600 x 550 x 900 mm

SP-71 Series

OTHER MODELS

MODEL	MOLD (CAVITIES)	CAPACITY (CPH)	DIMENSION
SP-7101	1	360	600 x 550 x 900 mm
SP-7102	2	700	600 x 550 x 900 mm
SP-7201	1	360	470 x 270 x 700 mm
SP-7301	1	360	470 x 270 x 700 mm
SP-7302	2	700	470 x 270 x 700 mm
SP-7401	1	360	470 x 270 x 700 mm

SPECIFICATION

MACHINE TYPE	BENCH	ROTARY	IN-LINE	CONVEYOR	STAND UP POUCH
VIDEO LINK					
SERIES	SP-7	SP-2	SP-1, SP-3, SP-6	SP-8	SP-9
PRODUCTION RATE (PCS/HOUR)	360~720	1,500~3,000	3,000~36,000	360~1,800	1,200
CYCLE PER MINUTE	6	15~20	20~25	6	20
MOLD NUMBER	1~6	1,2	2~24	1~5	1
CONTAINER MATERIAL	1 PET, 2 HDPE, 3 PVC, 4 PE, 5 PP, 6 PS, 7 OTHER				
CONTAINER TYPE	Cup, Tray, Bowl, Tub, Jar			Jar	Stand Up Pouch
APPLICATION	Water, Juice, Coffee, Beans, Powder, Comsmetic, Frozen Food, Cake, Instant Noodle, Lunch Box, Sauce, Jam, Jelly, Yogurt, Pudding, Soybean Milk, Honey, Bubble Tea, Hummus, Oliver Oil, Lathania, Air Drier, Aromatizer, Meat, Bakery, Tofu, Dairy Product, Cereal, Pepper.				
PHYSICAL PROPERTY	Liquid, Powder, Paste, Particle, Mixed.				
FILLING SYSTEM	N/A	Time Control, Piston, Auger, Volume Metric, Multihead Weigher, Rotary Pump, Flow Meter.			
SIZES (MM) L X W X H	500 x 450 x 900	1,500 x 1,500 x 2,000	3,000~12000 x 800~1,500 x 2,100	3,000 x 1,500 x 2,000	4,000 x 800 x 2,100
WEIGHT (KG)	50	800	800~2,000	200	700
POWDER SUPPLY	Custom Made (110V, 220V, 380V, 415V)				
AIR COMPRESOR (HP)	0	5~10	10~20	5~10	5~10
ROLL FILM	◆	◆	◆	◆	
PRE-CUT FOIL	◆	◆	◆		
PRICE RANGE	$1,500~$5,500	$17,000~$51,000	$38,000~$200,000	$22,000~$38,000	$58,000

STANDARD EQUIPMENT

PLC CONTROL		◆	◆	◆	◆
TRADITIONAL CONTROL PANEL	◆	◆	◆	◆	◆
2ND SEALING SYSTEM			◆		◆
SSR TEMP CONTROL		◆	◆	◆	◆
CUP/ POUCH FALLING SYSTEM		◆	◆		◆
OUT FEEDING SYSTEM	◆	◆	◆	◆	◆
NO CUP NO SEALING	◆	◆	◆	◆	◆
EYE MARK AUTO CORRECTION	◆	◆	◆	◆	
AUTO LID FALLING		◆	◆		
CE STANDARD	◆	◆	◆	◆	◆

OPTIONAL ACCESSORIES

MACHINE TYPE					
	HMI Touch Screen	Automatic Dust Vacuum	UV Light Sterilizer	Date Coding	
BENCH				◆	
ROTARY	◆	◆	◆	◆	◆
IN-LINE	◆	◆	◆	◆	◆
CONVEYOR	◆	◆	◆	◆	◆
STAND UP POUCH	◆	◆			◆

MACHINE TYPE				
	CIP System	Discharge Conveyor (L-Shape)	Collection Board	Dust Proof
BENCH				
ROTARY	◆	◆	◆	◆
IN-LINE	◆	◆	◆	◆
CONVEYOR		◆	◆	
STAND UP POUCH		◆	◆	◆

TYPE	ACCURACY	FILLING RANGE	APPLICATION
Piston Filler	+/- 1~3%	25 ~ 1,200 ml	◆ Beverage, detergent, cooking oil, yogurt, shampoo, body lotion, sauce, jam, honey, maple syrup...etc. ◆ Can be connected with CIP system. ◆ The transmission system is driven by cylinder.
Rotary Lobe Pump Filler	+/- 1~3%	250 ~ 2,000 ml	◆ Beverage, detergent, tomato paste, shampoo, body lotion, sauce, peanut butter, jam, honey, maple syrup...etc. ◆ Can be connected with CIP system. ◆ Wide range of rotors for all applications. ◆ Easy to disassemble/ assemble. ◆ Stainless Steel shaft of high strength used, discharging high capability.
Auger Filler	+/- 1~3%	0.1 ~ 2,000 g	◆ Powder, granule, crude suger, salt, flour, coffee powder, monosodium glutamate, seasoning flavor, chemical powder, biological powder...etc. ◆ The transmission system is driven by servo motor. ◆ Auger pipe for material in-feed is one-piece manufactured from Stainless Steel. ◆ Easy to install and dismantle the auger without any tool. ◆ Easy and convenient cleaning for time-saving.
Multi-Head Weigher Filler	+/- 1%	10 g ~ 2,000 g	◆ Nut, beans, candy, cereal, frozen chuck meat, fruit, frozen dumpling, shredded cheese, chocolate ball, coffee bean...etc. ◆ All contact parts are completely tool-less : Pans, buckets, chutes, and the hopper are all designed for quick and easy removal. ◆ Electronics are centrally and conveniently located un a eemote mounted electrical enclosure at floor level, safety of electronics is assured during wash-down and from machine vibration. ◆ Individual product slide chutes for increased speeds with no spiraling.